

**Trade name:** 79000-00125, ink, White

**Product no.:** 79000-00125

**Current version :** 1.0.1, issued: 24.07.2023

**Replaced version:** 1.0.0, issued: 26.04.2023

**Region:**  
GER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**79000-00125, ink, White**

**79000-00225, ink, White**

**UFI:**

**P62W-H0T8-D00F-WD8T**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

printer's ink

Ink

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Paul Leibinger GmbH & Co. KG

Daimlerstasse 14

78532 Tuttlingen

Telephone no. +49 (0)7461 9286 0

Fax no. +49 (0)7461 9286 119

e-mail info@leibinger-group.com

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**Subsidiary USA:**

**Address**

Paul Leibinger Inc

2702 Buell Drive, Suite B

East Troy, WI 52120 USA

Phone: +01 262 642 4030

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For medical advice in the USA (Transport & Environment):

+1 800 255 3924 (24h service)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Irrit. 2; H319

Flam. Liq. 2; H225

STOT SE 3; H336

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

Trade name: 79000-00125, ink, White

Product no.: 79000-00125

Current version : 1.0.1, issued: 24.07.2023

Replaced version: 1.0.0, issued: 26.04.2023

Region:  
GER

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**



GHS02



GHS07

**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

butanone

**Hazard statement(s)**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Hazard statements (EU)**

EUH066 Repeated exposure may cause skin dryness or cracking.  
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**Precautionary statement(s)**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/ equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P261 Avoid breathing mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

**UFI:**

P62W-H0T8-D00F-WD8T

**2.3 Other hazards**

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**PBT assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

**vPvB assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures**

**Hazardous ingredients**

No	Substance name	Additional information
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)
		Concentration
		%
1	butanone	

Trade name: 79000-00125, ink, White

Product no.: 79000-00125

Current version : 1.0.1, issued: 24.07.2023

Replaced version: 1.0.0, issued: 26.04.2023

Region:  
GER

	78-93-3 201-159-0 606-002-00-3 -	EUH066 Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	>= 70,00 - <= 80,00	wt%
2	<b>titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]</b>			
	13463-67-7 236-675-5 022-006-00-2 -	Carc. 2; H351i	>= 10,00 - <= 14,00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	V, W, 10	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
2	H351i inhalational; -; -

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

**After skin contact**

In case of contact with skin wash off with water.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

**After ingestion**

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Alcohol resistant foam, CO<sub>2</sub>, powders, water spray

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO)

**5.3 Advice for firefighters**

**Trade name:** 79000-00125, ink, White**Product no.:** 79000-00125**Current version :** 1.0.1, issued: 24.07.2023**Replaced version:** 1.0.0, issued: 26.04.2023**Region:**  
GER

Use self-contained breathing apparatus. Wear protective clothing. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Keep away from ignition sources.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8.

Information regarding waste disposal, see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### Advice on protection against fire and explosion

Keep away from ignition sources and provide for good ventilation. Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Recommended storage temperature

Value 10 - 25 °C

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

#### Storage Class according TRGS 510

3 Flammable liquids

### 7.3 Specific end use(s)

#### Recommendations

Ink for industrial CIJ printers

## SECTION 8: Exposure controls/personal protection

Trade name: 79000-00125, ink, White

Product no.: 79000-00125

Current version : 1.0.1, issued: 24.07.2023

Replaced version: 1.0.0, issued: 26.04.2023

Region:  
GER

## 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	butanone	78-93-3	201-159-0
	TRGS 900		
	Butanon		
	WEL long-term (8-hr TWA reference period)	600	mg/m <sup>3</sup> 200 ml/m <sup>3</sup>
	Ceiling Limit	1(l)	
	Skin resorption / sensibilisation	H	
	Notes	Y	
	2000/39/EC		
	Butanone		
	WEL short-term (15 min reference period)	900	mg/m <sup>3</sup> 300 ppm
	WEL long-term (8-hr TWA reference period)	600	mg/m <sup>3</sup> 200 ppm

### Biological limit values

No	Substance name
1	butanone
	TRGS 903
	2-Butanon (Methylethylketon)
	parameter
	Value
	Comments
	sample material
	Sampling moment

parameter	2-Butanon
Value	2 mg/l
Comments	DFG
sample material	U
Sampling moment	b

## 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Normal chemical work clothing.

#### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### State of aggregation

Trade name: 79000-00125, ink, White

Product no.: 79000-00125

Current version : 1.0.1, issued: 24.07.2023

Replaced version: 1.0.0, issued: 26.04.2023

Region:  
GER

liquid	
<b>Colour</b>	
white	
<b>Odour</b>	
ketone-like	
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
Value	> 78 °C
Source	supplier
<b>Melting point/freezing point</b>	
No data available	
<b>Decomposition temperature</b>	
No data available	
<b>Flash point</b>	
Value	supplier -9 °C
Source	supplier
<b>Ignition temperature</b>	
Value	> 300 °C
Source	supplier
<b>Auto-ignition temperature</b>	
Source	supplier
Comments	Product is not selfigniting.
<b>Explosive properties</b>	
The product is not explosive, but the formation of explosive vapour/air mixtures is possible.	
<b>Flammability</b>	
No data available	
<b>Lower explosion limit</b>	
Value	supplier 1,8 % vol
Source	supplier
<b>Upper explosion limit</b>	
Value	supplier 11,5 % vol
Source	supplier
<b>Vapour pressure</b>	
Value	supplier 105 hPa
Source	supplier
<b>Relative vapour density</b>	
No data available	
<b>Relative density</b>	
No data available	
<b>Density</b>	
Value	0,92 - 0,97 g/cm <sup>3</sup>
Reference temperature	20 °C
Source	supplier
<b>Solubility in water</b>	
Source	supplier
Comments	Not miscible or difficult to mix

Trade name: 79000-00125, ink, White

Product no.: 79000-00125

Current version : 1.0.1, issued: 24.07.2023

Replaced version: 1.0.0, issued: 26.04.2023

Region:  
GER

Solubility	
No data available	

Partition coefficient n-octanol/water (log value)	
No data available	

Kinematic viscosity	
Value	4 - 7 m Pa
Type	dynamic

Solvent content	
Value	70 - 80 %

Particle characteristics	
No data available	

## 9.2 Other information

Other information	
VOC (EU): 644 - 776 g/l	

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

### 10.5 Incompatible materials

strong oxidizing agents

### 10.6 Hazardous decomposition products

None, if handled according to intended use.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No data available	

Acute dermal toxicity	
No data available	

Acute inhalational toxicity	
No data available	

Skin corrosion/irritation	
No data available	

Serious eye damage/irritation	
No data available	

Respiratory or skin sensitisation	
No data available	

Germ cell mutagenicity	
No data available	

**Trade name:** 79000-00125, ink, White

**Product no.:** 79000-00125

**Current version :** 1.0.1, issued: 24.07.2023

**Replaced version:** 1.0.0, issued: 26.04.2023

**Region:**  
GER

<b>Reproduction toxicity</b>
No data available
<b>Carcinogenicity</b>
No data available
<b>STOT - single exposure</b>
No data available
<b>STOT - repeated exposure</b>
No data available
<b>Aspiration hazard</b>
No data available

**11.2 Information on other hazards**

**Endocrine disrupting properties**

Based on available data, the classification criteria are not met.

**Other information**

No data available.

**SECTION 12: Ecological information**

**12.1 Toxicity**

<b>Toxicity to fish (acute)</b>
No data available
<b>Toxicity to fish (chronic)</b>
No data available
<b>Toxicity to Daphnia (acute)</b>
No data available
<b>Toxicity to Daphnia (chronic)</b>
No data available
<b>Toxicity to algae (acute)</b>
No data available
<b>Toxicity to algae (chronic)</b>
No data available
<b>Bacteria toxicity</b>
No data available

**12.2 Persistence and degradability**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

<b>Results of PBT and vPvB assessment</b>	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT. According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.
vPvB assessment	

**12.6 Endocrine disrupting properties**

**Trade name:** 79000-00125, ink, White**Product no.:** 79000-00125**Current version :** 1.0.1, issued: 24.07.2023**Replaced version:** 1.0.0, issued: 26.04.2023**Region:**  
GER**Endocrine disrupting properties**

Based on available data, the classification criteria are not met.

**12.7 Other adverse effects**

No data available.

**12.8 Other information****Other information**

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Used, completely emptied, packaging may be disposed of or passed to recovery systems in compliance with national and local provisions related to waste legislation. Like the unused product, the packaging that has not been emptied, may be disposed of or passed to recovery systems in compliance with national and local provisions related to waste legislation.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

Class	3
Classification code	F1
Packing group	II
Hazard identification no.	33
UN number	UN1210
Proper shipping name	PRINTING INK
Special Provision 640	640C
Tunnel restriction code	D/E
Label	3

**14.2 Transport IMDG**

Class	3
Packing group	II
UN number	UN1210
Proper shipping name	PRINTING INK
EmS	F-E, S-D
Label	3

**14.3 Transport ICAO-TI / IATA**

Class	3
Packing group	II
UN number	UN1210
Proper shipping name	Printing ink
Label	3

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

Trade name: 79000-00125, ink, White

Product no.: 79000-00125

Current version : 1.0.1, issued: 24.07.2023

Replaced version: 1.0.0, issued: 26.04.2023

Region:  
GER**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3, 40
--	----------

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	butanone	78-93-3	201-159-0	75
2	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	236-675-5	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is subject to Part I of Annex I, risk category:	P5b
--	-----

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.

**National regulations****Water Hazard Class (Germany)**

Class

1

Source

Classification according to AwSV (Regulation on facilities for handling substances that are hazardous to water).

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H351i

Suspected of causing cancer by inhalation.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

**Trade name:** 79000-00125, ink, White

**Product no.:** 79000-00125

**Current version :** 1.0.1, issued: 24.07.2023

**Replaced version:** 1.0.0, issued: 26.04.2023

**Region:**  
GER

- V If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.
- W It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.  
This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.
- 1 The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

#### **Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.  
Prod-ID 789449