


**Rittal – The System.**

Faster – better – everywhere.



**SV 9320.060**

**PLS expansion connector**

State: 2024-10-19 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9320.060 - PLS expansion connector

For thermal and mechanical compensation during connection of PLS special busbars from enclosure to enclosure.

## Features

Model No.	SV 9320.060
Product description	For thermal and mechanical compensation when connecting special PLS busbars from enclosure to enclosure.
Material	E-Cu
Mounting tip	Two busbar connectors are needed to fit one expansion connector.
Note	With a temperature increase of 30 K, the busbars will expand in length by around 0.5 mm/m. Consequently, the use of an expansion connector is recommended for busbar systems with lengths in excess of 3 m.
Suitable for busbars	PLS 800
Packaging unit	3 pc(s).
Weight/packaging unit	0.55 kg
Net weight	0.537
Gross weight	0.6
Copper weight (kg per piece)	0.13
Customs tariff number	85369010
EAN	4028177162365
ETIM 7.0	EC000713
ECLASS 8.0	27400606

## Approvals

# Approvals

---

Explanations

Declaration of conformity

Declaration of conformity UK