## Rittal – The System.

Faster - better - everywhere.





# TS 4696.000 Support strip

State: 19/10/2024 (Source: rittal.com/com-en)




### TS 4696.000 - Support strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.







#### **Features**

TS 4696.000
For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.
4.5 mm diameter hole on a 25 mm pitch pattern
Sheet steel
Zinc-plated
Assembly parts
540 mm
In enclosure width/depth 600 mm
In enclosure width/depth 600 mm, on the outer mounting level
In door width 600 mm, with cam lock In door width 600 mm, with 3-point lock system, in the hinged door
In enclosure width 600 mm, on the outer mounting level
In enclosure width/depth 600 mm, on the outer mounting level
In enclosure width/depth 600 mm, on the outer mounting level
In enclosure width/height 600 mm, in conjunction with rail for interior installation AE

© Rittal 2024 2

### Features

TD: . !! .: .:	
TP installation options	In consoles for 3-part assembly, at the height of the enclosure cover
	in conjunction with rail for interior installation for TP, compact
	enclosure HD
To fit	Enclosure type: VX
	TS
	VX SE
	TP
	PC
	IW
	AX
	AE
	To fit width/depth: 600 mm
To fit	Base/plinth system VX
Packs of	20 pc(s).
Weight/pack	5.56 kg
Net weight	5.22
Gross weight	5.54
PCF/PU (cradle-to-gate)	21.2 kg CO2 eq (Cat B)
Note on the PCF class	Category B: PCF value (cradle-to-gate) approximated based on product weight and self-declared
Customs tariff number	73269098
EAN	4028177108158
E-Number Sweden	E3465252
ETIM 8	EC002620
ETIM 7.0	EC002620
ECLASS 8.0	27189261

© Rittal 2024 3