Rittal – The System.

Faster – better – everywhere.





SV 9341.140 Base tray infill

State: 13/07/2024 (Source: rittal.com/com-en)



POWER DISTRIBUTION >> CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

SV 9341.140 - Base tray infill for RiLine busbar systems

Rear contact hazard protection when connecting the busbars from enclosure to enclosure.

Features

| Model No. | SV 9341.140 |
|-----------------------|---|
| Product description | For rear contact hazard protection when connecting the busbars from enclosure to enclosure. |
| Material | Thermally modified hard PVC. Fire protection corresponding to UL 94-V0 |
| Colour | RAL 7035 |
| Supply includes | Assembly parts |
| Length | 100 mm |
| Number of poles | 3-pole |
| To fit busbar system | PLS 800, 3-pole |
| Connection type | Baying connection from enclosure to enclosure |
| Dimensions | Length: 100 mm |
| Packs of | 2 pc(s). |
| Weight/pack | 0.256 kg |
| Customs tariff number | 85472000 |
| EAN | 4028177502833 |
| ETIM 7.0 | EC002498 |
| ECLASS 8.0 | 27379201 |

Approvals

Approvals

Tender text

RiLine60 PLS 800 Base tray infill for the PLS 800 special busbar system for rear contact hazard protection when connecting the busbars from enclosure to enclosure. Technical specifications Length: 100 mm Width: 210 mm Height: 32 mm System: Rittal RiLine60