


Rittal – The System.

Faster – better – everywhere.



SV 9661.320 Busbars E-Cu

State: 27/09/2024 (Source: rittal.com/com-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9661.320 - Busbars E-Cu with integral holes

Suitable for direct installation in enclosures, busbar support, PE/PEN combination in conjunction with PE/PEN combination angle and baying bracket E-Cu.

Features

Model No.	SV 9661.320
Product description	Suitable for direct installation in enclosures, busbar supports 9340.000/.010. 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angle and baying bracket E-Cu.
Material	E-Cu
Ø hole	11 mm
Dimensions	Length: 1,165 mm
To fit	Width: = 1,200 mm
Cross-section	10 mm x 30 mm
Packs of	2 pc(s).
Weight/pack	6.328 kg
Net weight	6.26
Gross weight	6.327
Copper weight (kg per piece)	3.13
Customs tariff number	74071000
EAN	4028177546752
ETIM 7.0	EC000329
ECLASS 8.0	27400605

Approvals

Approvals

Approvals

UL + C-UL (listed)

Explanations

Declaration of conformity

Declaration of conformity UK