

# Rittal – The System.

Faster – better – everywhere.



## SV 9670.025

## Baying systems TS 8

State: 19/10/2024 (Source: [rittal.com/com-en](http://rittal.com/com-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9670.025 - Baying systems TS 8 Fuse-switch-disconnector enclosure

Baying systems TS 8 for the distribution of electrical power with fused fuse-switch disconnectors from Jean Müller or ABB.

## Features

Model No.	SV 9670.025
Material	Sheet steel
Surface finish	Enclosure frame: Dipcoat-primed Door(s), roof, rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Gland plates: Zinc-plated
Colour	RAL 7035
Supply includes	Enclosure frame with r/h door hinge, left side open Roof Rear panel Three-piece gland plates Lock: 3 mm double-bit 4 eyebolts Locating frame for disconnectors with fuses (brands ABB SlimLine/ Jean Müller SASIL)
Test specification	IEC 61 439-1/-2 IEC 61 641
IP protection category to IEC 60 529	Up to IP 3X, depending on the panels
Dimensions	Width: 1,000 mm Height: 2,200 mm Depth: 600 mm
Packs of	1 pc(s).
Net weight	133.5
Gross weight	144.2

# Features

---

EAN	4028177814554
ETIM 7.0	EC000268
ECLASS 8.0	27180101

---

# Approvals

---

Explanations	Declaration of conformity Declaration of conformity UK
--------------	---