

Rittal – The System.

Faster – better – everywhere.



SK 3301.930 Flow regulator valve

State: 27.09.2024. (Source: rittal.com/hr-hr)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3301.930 - Flow regulator valve

For use with air/water heat exchangers. especially if more than one heat exchanger ($n > 1$) is used in the cooling water circuit. The correctly set valve ensures an identical quantity of cooling medium for all equipment.

Features

Model No.	SK 3301.930
Product description	For use with air/water heat exchangers, especially if more than one heat exchanger ($n > 1$) is used in the water cooling circuit. The correctly set valve then ensures the same quantity of cooling medium for all equipment.
Applications	The valve is used for hydraulic balancing.
Material	Brass
Valve design	$\frac{3}{4}$ " x $\frac{1}{2}$ " for volumetric flow control
Setting range	3 - 12 l/min
Packs of	1 pc(s).
Weight/pack	0,174 kg
Net weight	0.174
Gross weight	0.184
Customs tariff number	84818073
EAN	4028177448650
ETIM 8	EC002620
ETIM 7.0	EC002620
ECLASS 8.0	27189261

Approvals

Approvals

Certificates

EAC