

Rittal – The System.

Faster – better – everywhere.



SK 3301.950

Cooling medium (ready-mixed)

State: 26.09.2024. (Source: rittal.com/hr-hr)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3301.950 - Cooling medium (ready-mixed) For chillers and air-water heat exchangers

As well as protecting against frost, this cooling medium also serves to inhibit bacterial growth and provide optimum corrosion protection.

Features

| | |
|-----------------------------|--|
| Model No. | SK 3301.950 |
| Product description | As well as protecting against frost, this cooling medium also serves to inhibit bacterial growth and provide optimum corrosion protection. |
| Contents | 10 l |
| Antifreeze/water mixture | 1 : 2 |
| Delivery form | Canister |
| Rifrost | Outdoor |
| Operating temperature range | -20 °C...60 °C |
| Packs of | 1 pc(s). |
| Weight/pack | 12 kg |
| Net weight | 10 |
| Gross weight | 10.8 |
| Customs tariff number | 38200000 |
| EAN | 4028177448674 |
| ETIM 8 | EC001243 |
| ETIM 7.0 | EC001243 |
| ECLASS 8.0 | 23061202 |

Approvals

Approvals

Certificates

EAC