
Rittal – The System.

Faster – better – everywhere.





SV 3586.020 CUPONAL busbars

State: 26.09.2024. (Source: rittal.com/hr-hr)



SV 3586.020 - CUPONAL busbars

Copper-coated aluminium busbar

Features

| Model No. | SV 3586.020 |
|------------------------------|---|
| Product description | Copper-coated aluminium busbars, suitable for configuring busbar systems with busbar supports 9340.000/9340.050. |
| Material | Aluminium Copper |
| Length | 2.400 mm |
| Rated current max. | 493 A |
| Note | The rated current is derived at 65 °C bar temperature and 35 °C ambient temperature Correction factor diagram to DIN EN 43 671 May be cut individually to required length |
| Standards | DIN EN 13 601 |
| Cross-section | 30 mm x 10 mm |
| Packs of | 3 pc(s). |
| Weight/pack | 27 kg |
| Net weight | 26.85 |
| Copper weight (kg per piece) | 1.05 |
| Customs tariff number | 74071000 |
| EAN | 4028177686588 |
| ETIM 8 | EC001522 |
| ETIM 7.0 | EC001522 |
| ECLASS 8.0 | 27370303 |
| | |

© Rittal 2024 2

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK

© Rittal 2024 3