

Rittal – The System.

Faster – better – everywhere.



SK 3286.800 Quick-change frame

State: 19/10/2024 (Source: rittal.com/in-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3286.800 - Quick-change frame for roof-mounted cooling units

Together with the seal, the lower part of the alternate frame is screw-fastened to the enclosure. In this way, it is possible to install and remove the connector-ready cooling unit with quick-release fasteners with the upper part of the alternate frame pre-fitted on the cooling unit.

Features

| | |
|---------------------|--|
| Model No. | SK 3286.800 |
| Product description | The quick-change frame is more than just an alternate frame. Together with the seal, the lower part of the frame is screw-fastened to the enclosure. In this way, it is possible to install and remove the connector-ready cooling unit with the upper part of the alternate frame previously mounted on the cooling unit with quick-release fasteners. During servicing work, this means shorter assembly times and hence minimised downtime. What is more, the quick-change frame offers effective protection against the ingress of oil into the enclosure in oily atmospheres, thanks to its integral drainage trough. |
| Material | Sheet steel |
| Colour | RAL 7035 |
| Supply includes | Quick-change frame Seal Quick-release fasteners |
| To fit Model No. | 3209.... 3210.... 3383.... 3384.... 3385.... |
| Packs of | 1 pc(s). |
| Weight/pack | 7.5 kg |
| Net weight | 7.073 |
| Gross weight | 7.4 |

Features

| | |
|-------------------------|---|
| PCF/PU (Cradle-to-Gate) | 28.6 kg CO2 eq (Cat B) |
| Note on the PCF class | Category B: PCF value (cradle-to-gate) approximated based on product weight and self-declared |
| Customs tariff number | 73269098 |
| EAN | 4028177325418 |
| ETIM 8 | EC000331 |
| ETIM 7.0 | EC000331 |
| ECLASS 8.0 | 27189272 |

Approvals

| | |
|--------------|-----|
| Certificates | EAC |
|--------------|-----|