

Rittal – The System.

Faster – better – everywhere.



The screenshot displays the RiZone monitoring software interface. On the left is a tree view of the system hierarchy, including 'AC4DC', 'Rittal', 'Haiger', 'RiMatrixS', 'Container1', and 'Schrankreihe' with sub-items like 'Schrank1' through 'Schrank7'. The main area contains four charts: 'Temperatur' (Temperature), 'Cooling', 'Power', and 'Pressure'. A 'Live messages' window at the bottom shows a list of monitoring alerts with columns for timestamp, elapsed time, process, owner, state, and description. On the right, there are several data panels for 'Temperatur' and 'Cooling' with numerical values.

Category filter on current list:	Show all messages categories from current list	Timespan filter on current list:	All	Status filter on current list:	
Timestamp	Elapsed time	Process	Owner	State	Description
(5) 6/27/2013 10:35:44 AM		Monitoring LCP 20209			
(4) 6/27/2013 10:33:45 AM	> 2 Min.	Monitoring PU-T2 1963			
(1) 6/27/2013 10:33:45 AM	> 2 Min.	Monitoring R6_T_warm_mitte 11381			
(5) 6/27/2013 10:32:27 AM	> 3 Min.	Monitoring LCP 20209			
(1) 6/27/2013 10:22:58 AM	> 13 Min.	Monitoring R6_T_warm_mitte 11381			
(1) 6/27/2013 10:16:38 AM	> 19 Min.	Monitoring LCP 20209			
(2) 6/27/2013 10:16:19 AM	> 19 Min.	Monitoring PU-LCP 2214			
(7) 6/27/2013 10:14:25 AM	> 21 Min.	Monitoring R6_L2_B 10591			

ID	Value
17957	
Name	QM-T
Description	
Component type	LOCATION

Parameter	Value
Temperatur_A...	13 °C
MSRZ_T_in	26.59 °C
MSRZ_T_out	42.51 °C
MSRZ_delta_T	15.92 °C
Water.In ZUCS	23.6 °C

Parameter	Value
Pressure_Coat...	2 Pa
ZUCS_Fan_Set	55 %
Druck_Eingang	4.9 bar
Druck_Ausgan...	

DK 7990.306

RiZone Appliance IP node licence

State: 19/10/2024 (Source: rittal.com/in-en)

DK 7990.306 - RiZone Appliance IP node licence

The flexible RiZone licence model allows optimum adaptation to any project size, while at the same time allowing the opportunity to grow with the data centre.

Features

Model No.	DK 7990.306
Design	RiZone graphics tool
Product description	Das flexible RiZone-Lizenzmodell ermöglicht eine optimale Anpassung an jede Projektgröße und bietet gleichzeitig die Möglichkeit, mit dem Rechenzentrum zu wachsen. Die Volumenlizenzen für die IP-Knoten sind gestaffelt von 10 bis 1000 Knoten und erlauben eine genaue Anpassung an die Größe des Rechenzentrums. Für jede zu erfassende aktive Komponente oder andere SNMP-fähige Komponenten wird eine Knotenlizenz benötigt.
For no. of IP nodes	25
Console licences included	4
Packs of	1 pc(s).
Customs tariff number	85234920
EAN	4028177665842
ETIM 7.0	EC000501
ECLASS 8.0	19240201