

Rittal – The System.

Faster – better – everywhere.



The screenshot displays the RiZone software interface with the following components:

- Left Panel (Location/Devices):** A tree view showing the hierarchy: AC4DC > Rittal > Haiger > RiMatrixS > Container1 > Schrankreihe > Schrank1-7. Below this are various sensors and actuators like R6_Pressure, R4_Pressure, R2_Pressure, C1_T_kalt, C2_T_kalt, C3_T_kalt, PMC-120, PSM-MID-M16, and power/cooling modules.
- Top Panel (Views):** Three tabs are open: [17957] QM-T: Views, [20209] LCP: Variables, and [17957] QM-T: Charts.
- Center Panel (Table):** A table with columns: ID, Name, Value, Unit, Maintenance group. It lists various system parameters such as Control-Valve, Cooling-Capacity, Leakage, and Condensate sensors, along with their current values and units.
- Bottom Left Panel (Component Details):** Shows details for component ID 20209 (LCP), including model number 3311.260, description, temperature unit (CELSIUS), and driver description (Rittal_Sensor_Generic).
- Bottom Right Panel (Messages):** A log of system messages with columns for Timestamp, Elapsed time, Process, Owner, State, and Description. It shows monitoring events for PU-T2 1963, R6_T_warm_mitte 11381, and LCP 20209.

DK 7990.502

RiZone-Appliance Standard

Stato: 19/10/2024 (Fonte: rittal.com/it-it)

DK 7990.502 - RiZone-Appliance Standard

RiZone viene fornito come software-appliance.

Caratteristiche

Nr. d'ord.	DK 7990.502
Descrizione prodotto	RiZone è fornito come Software Appliance. Software Appliance è disponibile come server virtualizzato nel formato Open Virtualization Format (OVF), facilmente utilizzabile con l'hardware esistente nel data center.
Product modification	La RiZone Appliance viene fornita con la versione 3.5 di RiZone. Come sistema operativo viene supportato l'attuale sistema operativo Microsoft Server 2012R2. Il database locale utilizza SQL Express 2012.
Nota	RiZone supporta i protocolli SNMP V1/V2C e SNMP V3 per il monitoraggio dei componenti dell'infrastruttura (dispositivi OT) in un data center. RiZone è vendor-neutral e può essere utilizzato in un ambiente eterogeneo di dispositivi OT.
Confezione	1 pz.
EAN	4028177956988
ETIM 7.0	EC000501
ECLASS 8.0	19240201