

Rittal – The System.

Faster – better – everywhere.



SV 9670.208

Baying systems TS 8

State: 27/09/2024 (Source: rittal.com/nz-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9670.208 - Baying systems TS 8 Busbar enclosures

Baying systems TS 8 as empty enclosure to accommodate vertical busbar systems.



Features

Model No.	SV 9670.208
Material	Sheet steel
Surface finish	Enclosure frame: Dipcoat-primed Roof, rear panel, front trim panel, gland plate: Dipcoat primed, powder-coated on the outside, textured paint
Colour	RAL 7035
Supply includes	Enclosure frame Front trim panel Roof Rear panel Gland plate
Note	The busbar enclosure is on one base/plinth together with the main enclosure, i.e. please select a base/plinth for the main enclosure which is 200 mm wider.
Test specification	IEC 61 439-1/-2 IEC 61 641
IP protection category to IEC 60 529	IP 55
Dimensions	Width: 200 mm Height: 2,000 mm Depth: 800 mm
Packs of	1 pc(s).

Features

Weight/pack	37.5 kg
Net weight	40
Gross weight	45
Customs tariff number	94032080
EAN	4028177574939
ETIM 7.0	EC000268
ECLASS 8.0	27180101

Approvals

Certificates	Surface finish
Explanations	Manufacturer's declaration Declaration of conformity Declaration of conformity UK