

Rittal – The System.

Faster – better – everywhere.



SV 9670.005

Baying systems TS 8

State: 19/10/2024 (Source: rittal.com/uae-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9670.005 - Baying systems TS 8 Fuse-switch-disconnector enclosure

Baying systems TS 8 for the distribution of electrical power with fused fuse-switch disconnectors from Jean Müller or ABB.

Features

| | |
|--------------------------------------|---|
| Model No. | SV 9670.005 |
| Material | Sheet steel |
| Surface finish | Enclosure frame: Dipcoat-primed Door(s), roof, rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Gland plates: Zinc-plated |
| Colour | RAL 7035 |
| Supply includes | Enclosure frame with r/h door hinge, left side open Roof Rear panel Three-piece gland plates Lock: 3 mm double-bit 4 eyebolts Locating frame for disconnectors with fuses (brands ABB SlimLine/ Jean Müller SASIL) |
| Test specification | IEC 61 439-1/-2 IEC 61 641 |
| IP protection category to IEC 60 529 | Up to IP 3X, depending on the panels |
| Dimensions | Width: 1,000 mm Height: 2,000 mm Depth: 600 mm |
| Packs of | 1 pc(s). |
| Net weight | 122.1 |
| Gross weight | 133.4 |

Features

| | |
|------------|---------------|
| EAN | 4028177814547 |
| ETIM 7.0 | EC000268 |
| ECLASS 8.0 | 27180101 |

Approvals

| | |
|--------------|------------------------------|
| Explanations | Declaration of conformity |
| | Declaration of conformity UK |